



PERGAMON

Applied Radiation and Isotopes 57 (2002) XIII–XV

Applied
Radiation and
Isotopes

www.elsevier.com/locate/apradiso

AUTHOR INDEX VOLUME 56

- Abbas, K. 703
Abdel-Fattah, A.A. 557
Adam, J. 607
Aerts, J. 871
Aiachi, A. 637
Al-Azmi, D. 991
Al-Dahhan, M.H. 485
Al-Otoom, A.Y. 589
Alber, D. 145
Albinsson, Y. 681
Aldo, F. 117
Altizoglou, T. 199, 399, 447
Alves, R.N. 169
Amano, H. 759
Ambe, S. 473
Arnold, D. 71, 405
Asai, M. 543
Atun, G. 797
Auerbach, P. 265
- Bäck, S.Å.J. 895
Baeza, A.S. 717
Baker, J.D. 567
Baker, M. 321, 343
Baker, M.I. 327
Balabekyan, A. 607
Baldock, C. 895
Banerjee, S. 571
Baran, N.P. 815
Bass, G.A. 321
Baytas, A.F. 601
Bè, M.-M. 181
Belgya, T. 535
Ben Kraiem, H. 93
Benny, P.G. 891
Bercea, S. 957
Bergmann, R. 773
Bernardes, E.M.O. 157, 457
Berne, A. 57
Berrazzouk, S. 985
Bhatt, B.C. 891
Bidovec, M. 649
Bilgin, B. 797
Blanco Rodríguez, M.P. 393
Blessing, G. 685
Bouchard, J. 245, 269
Bouhlassa, S. 637
Braghirolli, A.M.S. 361
Briançon, C. 189
Broda, R. 281, 285
- Brust, P. 773
Buzinny, M. 717
Byun, J.I. 307
- Cabrera, M.E.M. 931
Carrier, M. 21
Cassette, P. 285
Cassette, Ph. 461
Cerutti, G.L. 47
Cessna, J.T. 315, 337
Cha, I.-s. 697
Chen, H. 735
Chen, W.-L. 901
Cho, S.O. 697
Cho, Y.H. 307
Choi, J.-s. 697
Choi, O. 307
Chou, W.T. 627
Chu, T.-C. 477, 505
Chumak, V.V. 917
Chyliński, A. 281
Cicognani, G. 833
Clark, D. 85
Coenen, H.H. 519, 673, 685
Collé, R. 5, 223, 331
Comagic, S. 847
Coron, N. 245
Coursey, B.M. 1, 3, 5
Coursey, J.S. 5
Coursol, N. 189, 231
Crespo, M. 415
Crispim, V.R. 937
Cristina Razdolescu, A. 349, 435, 461
Cruz, P.A.L. 457
Cserpák, F. 821
Csete, I. 467
Cummings, B. 57
- da Conceição, C.C.S. 409
D'Alberti, F. 703
da Silva Jr., E.F. 563
da Silva, A.X. 937
da Silva, C.J. 157, 169, 361
da Silva, C.P.G. 361
Dávila Rangel, J.I. 931
de Azevedo, W.M. 563
Debertin, K. 999
Debnath, M.C. 863
del Rio, H.L. 931
Delgado, J.U. 137, 157, 169
- de Marcillac, P. 245
de Meijer, R.J. 837
Denecke, B. 199, 415, 447
de Oliveira, A.E. 361, 409
Desrosiers, M.F. 917
Dias, M.S. 105, 441
Ding, H.-J. 853
Ding, S. 877
Dong, W.M. 765
dos Santos, R.N. 741
Dryak, P. 111
Duduković, M.P. 485
Dumitrescu, C. 957
- Effinger, R.T. 65
Eichhorn, U. 505
Ekberg, C. 681
Ember, P.P. 535
Endo, A. 615
Escoffier, E. 833
Espartero, A.G. 41
Etcheverry, M. 137, 173, 415
Evans, C.J. 711
- Fernández Timón, A. 51
Ferreira, A.C.M. 409
Filliben, J.J. 57
Fonseca, K.A. 441
Forte, M. 703
Füchtner, F. 773
Fujiki, K. 131
- Gaca, P. 717
García, F.M. 931
García, G. 295
García-León, M. 633
García-Orellana, I. 633
García-Torano, E. 211
García-Torano, E. 415
Gehrke, R.J. 567
Gerstenberg, H.M. 525
Gleisberg, B. 387
Goncalves, I.F. 945
Görner, W. 145
Gorozhankin, V.M. 189
Grau Carles, A. 153
Grau Malonda, A. 153, 295
Griffin, H.C. 215
Grigorescu, E.L. 349, 435, 461
Guadalupi, G.M. 833

- Guang Yan, C. 253
Guillen, J. 717
Günther, E. 291, 357
Guo, J. 735
Gutiérrez, S. 787
- Hamacher, K. 519
Hamkens, W. 505
Hardy, J.C. 65, 215
Havelka, M. 265
Hayashi, N. 131
Heinrich, T. 387
Hejdelman, A.M. 37
Helmer, R.G. 65
Henriksen, G. 667
Hernández, A.T. 787
Herzog, H. 673
Hino, Y. 131, 421
Hirschfelder, Th. 519
Ho, J.P.Y. 953
Ho, S.-T. 853
Hoff, P. 667
Höhnemann, S. 847
Holgersson, S. 681
Hongxia, Z. 959
Huang, C.-Y. 477, 505
Hult, M. 399
Husband, L.J. 415
Hwang, H.-Y. 307
Hwang, W.-S. 261, 429
- Iacob, V. 215
Iacob, V.E. 65
Iakovlev, K. 173
Iglićki, F.A. 47
Iida, T. 615
Inn, K.G.W. 57, 379
Inoue, H. 659
İshakoğlu, A. 601
Ishchenko, S.S. 815
Ivan, C. 349, 435, 461
Iwahara, A. 157, 169, 361
- Jakobsson, A.-M. 681
Janssen, H. 215, 415
Janszen, H. 3
Jasińska, M. 717
Jeong, Y.U. 697
Jerome, S.M. 415
Johannsen, B. 773
Johansson, L. 199, 447
Johnston, P.N. 399
Joshi, S.H. 863
Jun, J.-S. 307
- Kadono, K. 621
Kaina, B. 505
Kalinnikov, V.G. 607
Kanda, Y. 615
Kao, A. 853
Karam, L.R. 3, 369, 379
- Karmalitsyn, N.I. 453
Kasch, H. 773
Kastleiner, S. 685
Kawade, K. 543
Keightley, J.D. 205, 327
Keightley, L.J. 327
Khalil, N. 985
Kharitonov, I.A. 37
Khoury, H.J. 563
Kilislioglu, A. 797
Kim, M. 697
Klein, R. 215
Knobus, B. 387
Kobal, I. 649
Kochin, A.E. 453
Köhler, M. 387
Koizumi, M. 543
Kojima, Y. 543
Kong, X. 731
Koo, V.S.Y. 953
Korun, M. 77
Koskinas, M.F. 105, 441
Kovar, P. 111
- Lahiri, S. 571
L'Annunziata, M.F. 907
Larachi, F. 485
Larsen, R.H. 667
Leblanc, E. 245
Leblanc, J. 245
Lee, B.C. 697
Lee, C.W. 307
Lee, J.-H. 429
Lee, J.M. 307
Lee, M.H. 307
Lemaire, C. 871
Lendgre, A. 681
Lepage, M. 895
Li, C. 857
Li, G. 731
Li, W. 253
Lian, Q. 253
Liang, J.H. 627
Likar, A. 99
Lin, J.-P. 477, 505
Lin, K.-H. 477
Lin, S.-Y. 505
Lin, Z. 57, 379
Lipnik, P. 65
Loidl, M. 245
Lopes, R.T. 361
Loureiro, J.S. 457
Lozano, J.C. 393
Luca, A. 173, 349, 415, 435, 461, 957
Ludington, M.A. 215
Luxen, A. 871
- Mahjoub, A. 93
Majali, M.A. 863
Makepeace, J.L. 327
Maetka, K. 285
- Man Lee, J. 275
Mania, J. 985
Manohar, S.B. 571
Marco, C. 117
Marnada, N. 163
Marques, L.S. 741
Martin Sánchez, A. 31, 51
Martinho, E. 945
Matsunaga, T. 759
Mauček, M. 837
Mayes, V.E. 65
McLaughlin, W.L. 1
McMahon, C.A. 369, 379
Meide, H. 959
Meigooni, A.S. 581
Méndez Vilas, A. 31
Metge, J.F. 245
Michotte, C. 15, 415
Mietelski, J.W. 717
Misdaq, M.A. 985
Mishra, K.K. 975
Mitev, K. 231
Miyahara, H. 131, 163
Molnár, G.L. 535
Moreau, I. 231
Morel, J. 85, 93, 137, 173, 181, 415
Morelle, J.-L. 871
Mosdzianowski, C. 871
Moutard, G. 21
Mrázek, J. 607
Mugunthamanikandan, N. 883
Murthy, J.S.R. 751
Mutamba, Q.B. 711
- Nagao, S. 759
Nagata, H. 163
Nagy, V. 917
Nessler, E. 505
Neumaier, S. 405
Nikezić, D. 953
Niu, H. 627
Noguchi, H. 615
Nortier, F.M. 685
Nuevo Sánchez, M.J. 31
Nunes, W.V. 937
- Oki, Y. 615
Okulov, S.M. 815
Oropesa, P. 787
Osa, A. 543
Ozaki, T. 473
- Pallottini, L. 833
Paola, A. 117
Park, J.H. 307
Park, T.S. 307
Paschoa, A.S. 157
Passo Jr., C.J. 907
Pearce, A.K. 327
Pedroza, G. 563
Peulon, S. 21

- Pibida, L. 369
 Picolo, J.L. 21, 231
 Piel, M. 847
 Pierino, D.F. 117
 Pillay, A.E. 577
 Piña, G. 41
 Poledna, R. 157, 169
 Poljak, M. 649
 Preuße, W. 387
 Pritzkow, W. 145
 Pronskikh, V.S. 607
 Pu, Z. 731

 Qaim, S.M. 673, 685, 821

 Radoszewski, T. 281
 Raghunath, V.M. 883
 Rahn, R.O. 525
 Ramaswami, A. 571
 Rao, S.M. 751
 Rasko, M.A. 37
 Ratel, G. 415
 Razdolescu, A.C. 957
 Reguigui, N. 93
 Ribeiro, F.B. 741
 Riddle, C.L. 567
 Riebe, G. 145
 Rodig, H. 773
 Rodríguez, M. 41
 Rodríguez, L. 415
 Rodríguez Barquero, L. 211
 Rogante, M. 833
 Römer, J. 773
 Rösch, F. 505, 847
 Roteta, M. 211
 Roy, R.R.P. 975
 Roy, S. 485
 Rubio Montero, M.P. 31, 51

 Saad, H.R. 991
 Sahagia, M. 957
 Sahagia, M. 349, 435, 461
 Salgado, J. 945
 Sanada, Y. 759
 Sanchez-Vega, M. 65, 215
 Santry, D. 415
 Saravana Kumar, U. 751
 Sato, K. 615
 Saxena, S.K. 863
 Sazonova, T.E. 453
 Schäfer, I. 387
 Schirrmacher, R. 505, 847
 Schirru, R. 937
 Schmid, A. 673
 Schmitzer, C. 375
 Schönfeld, E. 181, 215, 415
 Schötzig, U. 415
 Schrader, H. 237, 957
 Schreckenberger, M. 505
 Schroettner, T. 375
 Schwaiger, M. 375
 Sekido, S. 473

 Sekine, T. 543
 Selvasekarapandian, S. 883
 Sepman, S. 173
 Sepman, S.V. 37, 453
 Serra, R. 787
 Shchukin, G. 173
 Sheng, J. 621
 Shi, J. 735
 Shiau, Y.-C. 853
 Shibata, M. 543
 Shilnikova, T.I. 453
 Sholom, S.V. 917
 Sibbens, G. 199, 415, 447
 Sima, O. 71, 405
 Simoens, F. 871
 Simonelli, F. 703
 Simpson, B.R.S. 301
 Sivakumar, R. 883
 Skarnemark, G. 681
 Sloboda, R.S. 805
 Sochorová, J. 265
 Soon Park, T. 275
 Sowards, K.T. 581
 Spellerberg, S. 673
 Stanga, D. 231
 Steger, F. 375
 Steinbach, J. 773
 Stroosnijder, M.F. 703
 Su, S.-H. 261
 Suárez, J.A. 41
 Sudár, S. 821
 Sujo, L.C. 931
 Suran, J. 111
 Švec, A. 237
 Szűcs, L. 467

 Takada, H. 759
 Takeda, M.N. 105
 Takeuchi, N. 131
 Tanaka, Su. 615
 Tanase, G. 435
 Taniguchi, A. 543
 Tao, Z.Y. 765
 Tauhata, L. 157, 169, 361, 409
 Taylor, D.M. 763, 1001
 Tellmann, L. 673
 Terechtchenko, E.E. 37
 Terlikowska, T. 285
 Terlikowska-Drożdźiel, T. 281
 Tewary, D.N. 975
 Tkachenko, Y. 759
 Tomé, F.V. 393
 Tomankiewicz, E. 717
 Torres, L.L.Q. 931
 Tripathi, P.S.M. 975
 Tsai, S.-C. 853
 Tsigankov, N. 717
 Tsoupko-Sitnikov, V. 21
 Tsuda, S. 615
 Tyler, D.K. 343
 Tzaphlidou, M. 781

 Unterweger, M.P. 125, 315
 Utagawa, Y. 621


 van der Walt, T.N. 685
 Vaupotič, J. 649
 Vavrina, G.A. 525
 Vianna, M.E.C. 409
 Vidmar, T. 99
 Villalba, M.L. 931
 Vogl, J. 145
 Vorona, I.P. 815
 Vylov, Ts. 189

 Wallace, R.E. 581
 Wang, G. 765
 Wang, H. 877
 Wang, J.-J. 853
 Wang, R. 805
 Wang, X. 857
 Wang, X.K. 765
 Waters, S. 327
 Watt, G.C. 205
 Weijuan, L. 967
 Wenming, D. 959, 967
 Wermann, G. 145
 Willis, D.K. 65
 Woodman, A.P. 327
 Woods, D.H. 327, 415
 Woods, M.J. 3, 321, 327, 343, 415
 Woods, S.A. 327, 415
 Wu, S.-C. 627
 Wu, Z. 379
 Wurdiant, G. 163
 Wu, J.-L. 261

 Xu, K. 877

 Yakushev, E.A. 189
 Yamaguchi, I. 473
 Yanase, N. 759
 Yazawa, T. 621
 Yip, C.W.Y. 953
 Yoe-Sein, M.M. 581
 Yoshida, A. 163
 Yu, K.N. 953
 Yuan, L.G. 627
 Yuan, M.-C. 261, 429
 Yull Hwang, H. 275

 Zaichick, V. 781
 Zanevsky, A.V. 453
 Zhang, F. 731
 Zhang, J. 857
 Zhong Ni, J. 253
 Zhu, X. 731
 Zimmerman, B.E. 223, 315
 Živčić, M. 649
 Zmazek, B. 649
 Zsinka, A. 467
 Zuyi, T. 959, 967





PERGAMON

Applied Radiation and Isotopes 57 (2002) XVII–XXXII

Applied
Radiation and
Isotopes

www.elsevier.com/locate/apradiso

SUBJECT INDEX VOLUME 56

Absorption

- Optical: effect of X-ray irradiation on soda lime glass 621

Accelerator mass spectrometry

- Comparison with γ -ray spectrometry for ^{26}Al in meteorite samples 99

Activation analysis

Neutron

- Determination of Ca, P and Ca/P ratios in cortical bone from human femoral neck 781
For medium and heavy elements using a partially depleted ^{252}Cf source 577
PGAA: improvement of capabilities by coincidence techniques 535
PGAA: use for explosives detection 937

Aerosol

- ^{38}Cl and ^{39}Cl attached to DOP aerosol particles after irradiation of Ar gas size analysis 615

Alanine

- Dosimetry uncertainties in the therapeutic dose range 917

Algorithm

- Peak fitting for ^{241}Am and ^{243}Am competence for resolution of overlap 57

Alumina

- Sorption and desorption of Co(II): effect of humic substances 765

Aluminium

- ^{26}Al in meteorites 405
 γ -spectrometric measurement in deep underground laboratory 399
Low level measurements 711
Box: use of associated particle timing based on the D + D reaction for imaging

Americium

- Am^{3+} complexes with fulvic and humic acids: stability constants 959
 ^{241}Am : accumulation and dissolution in river bed sediment near Chernobyl 751
 ^{241}Am and ^{243}Am peak overlap: resolution competence of α -spectrometry analysis algorithms 57

Angioplastic balloon

- Determination of ^{32}P activity by LSC 291

ANGLE

- Code: reliability for efficiency calibrations of HPGe detectors 703

Aquifer

- In S. Morocco: groundwater dating with radiocarbon 637
Karstic (Morocco): characterisation using a nuclear track detector and radon as a natural tracer 985

Argon

- Gas containing dioctyl phthalate irradiated to produce ^{38}Cl and ^{39}Cl aerosols: size analysis 615

Asia Pacific Metrology Program (APMP)

- Comparison of results on measurements of ^{56}Co , ^{88}Y and $^{166\text{m}}\text{Ho}$ 421

(Abs) indicates an abstract.

*Indicates a technical note.

Barium

- ¹³³Ba: half life measurements at NIST 125

Beam

- Compact low energy electron: development as an irradiator 697
 Electron: surface dose with grids 477
 6-Benzyloxy-7-(2-[¹⁸F]fluoroethyl)-7H-purin-2-yl-amine
 Synthesis and evaluation 511
 6-Benzyloxy-9-(2-[¹⁸F]fluoroethyl)-9H-purin-2-yl-amine
 Synthesis and evaluation 511

Bismuth

- ²⁰⁷Bi: half life determination at NIST 125
²⁰⁹Bi(n,3n)²⁰⁷Bi reaction: cross section measurements 731

Bone

- Cortical from human femoral neck: NAA determination of Ca, P and Ca/P ratios 781

Book review

- Plutonium in the environment, radioactivity in the environment, Vol. I 999
 Practical applications of radioactivity and nuclear radiations 999

Brachytherapy

- BrachySeed (ModelLS-I): ¹²⁵I source Monte Carlo dose parameters 805
 Calibration of NPL calibrator for ¹²⁵I seeds used in prostate cancer 321
 InterSource ¹²⁵I source: dosimetric characterisation 589
 Model 3500 ¹²⁵I source: dosimetric characterisation 581
 Sources: activity characterisation 331

Brain

- Distribution of estrone sulfatase 773
 2-Bromo-1-[¹⁸F]fluoroethane
 Synthesis and use in automated preparation of ¹⁸F-fluoroethylated compounds 847

Building

- ⁶⁰Co contaminated: radiation surveys and dose equivalent assessment 901

Calcium

- NAA determination in human cortical bone from the femoral neck 781

Calibrator

- Dose: performance in Brazilian hospitals for activity measurements 361
 NPL secondary standard radionuclide: calibration for ¹²⁵I seeds 321
 Radionuclide: metrological certification for CURIEMENTOR 2 957*
 Syringe calibration factors for radionuclides used in nuclear medicine 343

Californium

- ²⁵²Cf depleted source: use in activation analysis of medium weight and heavy elements 577
²⁵²Cf source of neutrons: use in non-metallic land mine detection 837

Calorimeter see also bolometer

- Dual compensated cryogenic for radioactivity standardisation: development 223
 Micro: use in standardisation of radionuclides emitting low energy radiation 245

Carbon

- Radiocarbon dating of groundwater in an aquifer in S. Morocco 637
¹¹C standardisation for PET 327
¹³C hyperfine interactions of CO₂⁻ in irradiated tooth enamel: EPR study 815
¹⁴C: activity determination using a multi-channel time scaling technique for 3PM LS counting 307

Carbon dioxide

- CO₂⁻: study of ¹³C hyperfine reactions in irradiated tooth enamel by EPR 815

CARPT (Computer Automated Radioactive Particle Tracking)

Technique for flow mapping in multiphase reactors : design and sensitivity	485
<i>Cascade summing</i>	
Corrections for HPGe spectrometers	105
<i>Cell</i>	
Electrochemical for separation of ^{18}F -fluoride from irradiated ^{18}O water	519
Lymphoma: uptake of $^{99\text{m}}\text{Tc}$ tetrofosmins and comparison with $^{99\text{m}}\text{Tc}$ sestamibi	853
<i>Cerium</i>	
Ceric sulphate dosimeter: investigation of the relation of the NMR relaxation rate to absorbed dose	895
<i>Cesium</i>	
Use of resonance ionisation mass spectrometry for determination of ^{133}Cs and $^{135}\text{Cs}/^{137}\text{Cs}$ ratios	369
^{134}Cs	
High precision determination of emission probabilities of principal γ -rays	131
Standardisation: comparison of 3 methods	211
Use as an efficiency tracer to improve uncertainty in activity standardisation	253
^{137}Cs : accumulation and dissolution in river bed sediment near Chernobyl	751
^{137}Cs : half life determination at NIST	125
<i>Chelating agent</i>	
Evaluation for radium	667
<i>Chernobyl</i>	
Fallout: Pu and α -emitters in mushrooms	717
<i>Chlorine</i>	
^{36}Cl : transport across an anion-exchange paper membrane	659
^{38}Cl and ^{39}Cl aerosols produced by irradiation of argon: particle size analysis	615
<i>Chlorinolysis</i>	
γ -ray induced: investigation for desulphurisation of high sulphur Indian coal	975
<i>Chromium</i>	
$^{48,49}\text{Cr}$: separation from a ^7Li -ion irradiated Sc_2O_3 target	571
^{51}Cr : multi method activity measurement	281
<i>CIEMAT/NIST</i>	
LSC method: limitations and uncertainties	357
<i>Coal</i>	
High sulphur, Indian: investigation of desulphurisation by γ -ray induced chlorinolysis	975
<i>Cobalt</i>	
Co(II) sorption and desorption on alumina: mechanisms and effect of humic substances	765
^{58}Co	
Absolute counting and APMP comparison	429
APMP comparison results on radioactivity measurements	421
^{60}Co	
Contaminated buildings: radiation survey and dose equivalent assessment	901
Half life determination at NIST	125
Source production for high accuracy efficiency calibrations for γ -spectrometers	215
Use as an efficiency tracer to improve uncertainty in activity measurements	253
<i>Cocktail</i>	
LS: examination for stability for ^{89}Sr solution standardisation	457
LS composition: influence for the standardisation of radionuclides using the TDCR method	285
<i>Code</i>	
ANGLE and LabSOCS: reliability for calculation of efficiency calibrations of HPGe detectors	703
IC(4) use for calculation of internal conversion coefficients	189

OMEGA/BEAM: use for Monte Carlo simulations of surface percent depth dose	505
<i>Coincidence summing correction</i>	
In γ -ray spectrometry: interlaboratory study	117
<i>Copper</i>	
^{64}Cu : determination of β^- branching ratios by mass spectrometry of decay products in neutron transmuted Cu	145
<i>Counter</i>	
4π pressurised gas proportional: use to standardise ^{89}Sr	447
<i>Counting</i>	
Absolute: of $^{166\text{m}}\text{Ho}$; ^{56}Co and ^{88}Y	429
α/β emitter: system used at INER (Taiwan)	261
Cherenkov of ^{90}Y in dry state: correlation with ^{32}P Cherenkov counting data	907
<i>Coincidence</i>	
Digital: use in corrections for out-of-channel γ -events in $4\pi\beta\text{-}\gamma$ counting	205
Digital: use in standardisation of ^{152}Eu and ^{88}Y	275
$4\pi\beta$ and $4\pi\beta\text{-}\gamma$: use in standardisation of ^{89}Sr	467
Method: use in ^{152}Eu standardisation in the BIPM comparison study	435
Software: absolute activity measurement using a digital method	265
System using the pulse mixing method: new set of electronic modules	269
Use to determine activity per mass of ^{152}Eu	169
Efficiency of sample : determination of self determination correction from path length of γ -rays	77
Internal gas proportional: analytical calculations of counting losses	231
<i>Liquid scintillation</i>	
CIEMAT/NIST method: limitations and uncertainties	357
3PM-LS: development of multichannel time scaling method	307
Stability of Instagel plus, Hi-safe III and Ultima gold when used in ^{89}Sr standardisations	457
Use in determination of ^{40}K half life	153
Use in standardisation of sources in South Africa	301
Use to determine ^{32}P activity in angio-plastic balloons	291
<i>Cross section measurements</i>	
For (n, 3n) reactions induced by 14.8 MeV neutrons	731
On $^{85}\text{Rb}(\text{p}, \text{xn})$ reactions for production of Sr isotopes	685
<i>Crystal</i>	
GaAs and InP: crystalline quality by γ -ray diffraction	833
<i>Cumin</i>	
Use of EPR spectrometry to distinguish between non-irradiated and irradiated samples and dose assessment	557
<i>CURIEMENTOR 2</i>	
Radionuclide calibrator: certification	957*
<i>Cyclotron</i>	
Production of medical isotopes: charged particle cross section data (Abs)	1001
<i>Damage depth profile</i>	
Measurement with a fast automatic RBS/w channelling system	627
<i>Data</i>	
Charged particle cross section for medical isotope production (Abs)	1001
Nuclear: for medical applications (Abs)	1001
Nuclear: influence on uranium enrichment results obtained by Xk_α spectral analysis	85
<i>Dating</i>	
Of groundwater in an aquifer in S. Morocco with radiocarbon	637

Improvement of uncertainty in activity standardisation	253
<i>Electron</i>	
Beam radiation therapy: skin sparing effect using the grid technique	477
Low energy beam: development as an irradiator	697
Stopping power: influence on the ionisation quench factor	295
<i>Emission probabilities</i>	
For γ -rays for ^{88}Rb	163
From the decay of ^{226}Ra and daughters	137
Of kX-rays following decay of ^{237}Np in equilibrium with ^{233}Pa	173
Of principal γ -rays for ^{134}Cs : determination to a high precision	131
<i>Enamel</i>	
Tooth: EPR study of ^{13}C hyperfine interactions of CO_2^-	815
<i>Enzyme</i>	
DNA repair (MGMT): evaluation of activity in tumour tissue	511
<i>EPR</i>	
Spectrometry: use to distinguish between irradiated and non-irradiated cummin and dose assessment	557
Uae to study ^{13}C hyperfine interactions of CO_2^- in irradiated tooth enamel	815
<i>ESR</i>	
Use to study X-ray irradiation effects on soda lime container glass	621
<i>Estrone sulphatase</i>	
Distribution in rat brain by in vitro autoradiography	773
<i>Ethanol</i>	
Measurement of saturation in a porous medium by γ -attenuation	601
<i>Europium</i>	
Eu^{3+} complexes with humic and fulvic acids: stability constants	959
$^{151}\text{Eu}(\text{n}, 3\text{n})^{149}\text{Eu}$ reaction: cross section measurements	731
^{152}Eu	
Solution: measurement of disintegration rate and standardisation	441
Standardisation and BIPM comparison	435
Standardisation and half life determination	169
Standardisation by digital coincidence counting	275
^{152}Eu , ^{154}Eu and ^{155}Eu : half life determination at NIST	125
<i>Excitation functions</i>	
Of $^{103}\text{Rh}(\text{p}, \text{n})^{103}\text{Pd}$; $^{103}\text{Rh}(\text{p}, 3\text{n})^{101}\text{Pd}$ and $^{103}\text{Rh}(\text{p}, 4\text{n})^{100}\text{Pd}$	821
Of $^{85}\text{Rb}(\text{p}, \text{xn})^{85\text{m.g.83,82,81}}\text{Sr}$ reactions and yield of ^{83}Sr	685
<i>Explosive</i>	
Detection by PGAA and neural networks	937
<i>Extraction</i>	
Liquid-liquid: use to separate ^{48}V and $^{48,49}\text{Cr}$ in a ^7Li ion irradiated Sc_2O_3 target	571
<i>Fallout</i>	
Chernobyl and global of Pu and other α -emitters in mushrooms from Poland, Spain and the Ukraine	717
<i>Flow</i>	
Mapping in multiphase reactors: optimal design of radioactive particle tracking experiments	485
<i>Fluoride</i>	
^{18}F : electrochemical cell for separation from irradiated ^{18}O water and use for ^{18}F fluorination	519
<i>Fluorine</i>	
$^{19}\text{F}(\text{p}, \text{xy})^{16}\text{O}$ reaction: yields, branching ratios and angular distributions of photons produced	877

Decay

Complex chains: determination of cross sections for nuclear reactions	607
Data for ^{237}Np	415
Data for ^{169}Yb : evaluation	181
Of ^{237}Np in equilibrium with ^{233}Pa : emission probabilities of k-X-rays	173
Of ^{236}U : feeding of ^{232}Th levels	567*
Scheme of ^{126}La isomers	543

Detector

Germanium- γ ray: efficiency calibration using GESPECOR software	71
HPGe: efficiency calibration using source measurements and Monte Carlo calculations	65
HPGe efficiency calibrations: reliability of ANGLE and LabSOCS calculation codes	703
LR115 in a diffusion chamber: sensitivity to ^{222}Rn in presence of ^{220}Rn	953
Models: automated construction for efficiency interpolation in γ -ray spectrometry	99
Solid state nuclear track: use for characterisation of water from aquifer in Oum-Er-Rbia basin (Morocco)	985

Diffusion

Between Sr ions and Sr phosphomolybdate in aqueous solution: kinetics	797
Chamber: sensitivity of LR115 detector to ^{222}Rn in presence of ^{220}Rn	953

Digital signal processor

Used in γ -ray spectrometry: basic characteristic parameters of 3 systems	93
--	----

DNA

Repair enzyme O ⁶ -methylguanine-DNA-methyl transferase: activity evaluation in tumour tissue	511
--	-----

Dose

Assessment for irradiated cumin by EPR spectrometry	557
Calibrator: intercomparison in Brazilian hospitals for activity measurements	361
Characterisation: determination for Intersource ^{125}I brachytherapy source	589
Characterisation for Model 3500 ^{125}I brachytherapy source	581
Equivalent assessment in ^{60}Co contaminated rebar buildings	901
In digital imaging and radiology (Abs)	1001
Surface dose to skin: grid sparing effect in electron beam radiotherapy	477
Surface percent depth dose: Monte Carlo simulation	505

Dosimeter

Alanine: uncertainties in therapeutic dose range	917
$\text{CaSO}_4\text{:Dy}$: use to determine indoor dose rates in Gudalore (India)	883
Ceric sulphate: investigation of the NMR relaxation rate dose—response relationship	895
Glass-sol-gel glass doped with Eu^{3+} ions: preparation and characterisation	563
Iodide/iodate solution for ionising radiation	525

Dosimetry

Alanine: uncertainties in the therapeutic range	917
Activity characterization of β -emitting brachytherapy sources	331
Calibration of NPL calibrator for dose rate determination for ^{125}I seeds	321
High level- γ -dose: phototransferred thermoluminescence in quartz	891
Indoor γ -dose measurements in Gudalore (India)	883
Of ionising radiation using an iodide/iodate solution	525
Parameters for BrachySeed model LS-1 ^{125}I brachytherapy source	805

Efficiency curves

Energy dependent: fitting methods and their application to ionisation chamber measurements	237
--	-----

Efficiency tracer technique

CIEMAT/NIST ^3H standard: use in standardisation of $^{188}\text{W}/^{188}\text{Re}$	315
---	-----

<i>[¹⁸F] FDG</i>	
Production by an alkaline hydrolysis: epimerisation study	871
<i>16-[¹⁸F] Fluoroestradiol-3,17β-disulfamate</i>	
Use to determine estrone sulfatase distribution in rat brain	773
<i>[¹⁸F]Fluoro ethylated compounds</i>	
Preparation from 2-bromo-1-[¹⁸ F] fluoroethane	847
<i>Foils</i>	
Used as activation detectors: epithermal neutron resonance self shielding factors	945
<i>Food</i>	
Cumin, irradiated: identification and dose assessment by EPR spectrometry	557
<i>Gadolinium</i>	
Ga ³⁺ complexes with humic and fulvic acids: stability constants	967
<i>Gallium</i>	
Arsenide single crystals: investigation of quality by γ -ray diffraction	833
<i>Gamma ray</i>	
Attenuation: use to measure saturations for water, ethanol and LNAPL in a porous medium	601
Detection using sol-gel glass doped with lanthanide ions	563
Diffraction: use to determine quality of GaAs and InP single crystals	833
Emission probabilities for ¹³⁴ Cs: determination to a high precision	131
Emission probabilities for ⁸⁸ Rb	163
γ - γ coincidence techniques: for reduction of spectral interference in PGAA	535
Indoor dose measurements in Gudalore (India)	883
Induced chlorinolysis: investigation in desulphurisation of Indian coals	975
Measurement of average path length in samples using scattered radiation	77
Reference source for radiopharmaceuticals: standardisation	787
<i>Gas</i>	
Standards, multigamma simulated: development and preparation	47
<i>GESPECOR</i>	
Use to determine the efficiency transfer factor for Ge- γ ray detectors	71
<i>Glass</i>	
Soda-lime: effects of X-irradiation	621
Sol-gel doped with lanthanide ions: preparation and characterisation for γ -ray detection	563
<i>Grid</i>	
Technique: use in electron beam radiation therapy to reduce skin dose	477
<i>Half life</i>	
Determination of ⁴⁰ K by LSC	153
Measurements at NIST for ⁶⁰ Co, ¹³⁷ Cs, ⁸⁵ Kr, ¹³³ Ba, ²⁰⁷ Pb, ¹⁵² Eu, ¹⁵⁴ Eu and ¹⁵⁵ Eu	125
Of ¹⁵² Eu	169
Of ¹⁶⁹ Yb: interlaboratory evaluation	181
<i>Holmium</i>	
¹⁶⁶ Ho	
Absolute counting and APMP comparison	429
APMP comparison results on radioactivity measurements	421
Holmium dimethyl-diethylenetriaminepenta acetic acid (DMDTPA): preparation and evaluation for endovascular radiation therapy	863
Use as a multi- γ standard for calibration of Ge spectrometers	157
<i>Humic substances</i>	
Effect of sorption and desorption of Co(II) on alumina	765

<i>Imaging</i>	
Digital: dose and image quality (Abs)	1001
Myocardial and cerebral: investigation of a ^{99m}Tc nitrido complex	857
Of a solid object: use of associated particle timing based on the D + D reaction	711
<i>Indium</i>	
InP single crystals: investigation of quality by γ -ray diffraction	833
<i>INER (Institute of Nuclear Energy Research, Taiwan)</i>	
α - and β -emitter measurement system	261
<i>Internal conversion coefficients</i>	
Calculations: use of IC(4) code	189
<i>International committee for radiation protection</i>	
Moral and legal obligation	763
<i>International committee for radionuclide metrology</i>	
Preface to proceedings of meeting, May 2001, PTB, Braunschweig, Germany	3
<i>Iodide/iodate</i>	
Dosimeter: evaluation for ionising radiation	525
<i>Iodine</i>	
I-Plant TM ^{125}I brachytherapy source: dosimetric characterisation	581
^{124}I : PET quantitation and imaging evaluation	673
^{125}I Intersource brachytherapy source: determination of dosimetric characteristics	589
^{125}I seeds for brachytherapy: use of NPL calibrator for dose rate determination	321
^{125}I : transport across an anion exchange paper membrane	659
^{131}I and ^{123}I : intercomparison of activity measurements in Brazilian hospitals	361
<i>Ion exchange</i>	
Anion, paper membrane: transport of ^{125}I and ^{36}Cl	659
Use to determine stability constants of Eu^{3+} and Am^{3+} complexes with fulvic and humic acids	959
Use to determine stability constants of Tb^{3+} , Yb^{3+} and Ga^{3+} complexes with fulvic and humic acids	967
<i>Ionization chamber</i>	
Centronic IG 12/20A: use to measure activity of ^{186}Re , ^{188}Re radiopharmaceuticals	349
Measurements and fitting methods for constructing energy dependent efficiency curves	237
SIR (International Reference System for γ -activity measurements): efficiency curve	15
Use to maintain radioactivity standardisations	301
<i>Ionization quench factor</i>	
Influence of stopping power	295
<i>Iridium</i>	
$^{191}\text{Ir}(n, 3n)^{189}\text{Ir}$ reaction: cross section measurements	731
<i>Irradiator</i>	
Low energy electron beam: development	697
<i>Isotopic exchange</i>	
Between Sr ions and Sr phosphomolybdate: kinetics in aqueous solution	797
<i>Krypton</i>	
^{85}Kr : half life determination at NIST	125
<i>Laboratory</i>	
Brazilian: intercomparison study for environmental radionuclide measurements	409
Ultra low level for nuclear test ban measurements	375
<i>LabSOCS</i>	
Code: reliability for efficiency calibration of HPGe detectors	703

<i>Landmine</i>	
Non-metallic: detection by thermal neutron backscattering and Monte Carlo simulation	837
<i>Lanthanum</i>	
^{126}La isomers produced from $^{94}\text{Mo}(^{36}\text{Ar}, 3\text{pn})$ reaction: decay scheme	543
<i>Lead</i>	
^{210}Pb : determination by α -spectrometry in marine environmental samples	633*
<i>Lymphoma</i>	
Cell lines: uptake of $^{99\text{m}}\text{Tc}$ tetrofosmin and comparison with $^{99\text{m}}\text{Tc}$ sestamibi	853
<i>Mann, Wilfred Basil</i>	
Obituary	1
<i>Marinelli beaker</i>	
Use in the determination of corrections to the summations of photons	111
<i>Materials</i>	
Semi-conductor: fast automatic RBS/w channelling for damage depth profiling	627
<i>MGMT</i> (<i>O⁶-methylguanine-DNA-methyl transferase</i>)	
Evaluation of repair activity in tumour tissue in vivo	511
<i>Microscope</i>	
Scanning probe: use to study inhomogeneities of sources for α -particle spectrometry	31
<i>Monitor</i>	
α - and β -contamination: preparation of large area sources for calibration purposes	21
<i>Monte Carlo</i>	
Calculation of epithermal neutron resonance shielding factors in foils	945
Calculations of efficiency calibration curves in γ -ray spectrometry	99
Calculations to determine efficiency of an HPGe detector	65
Method: cascade summing corrections for HPGe spectrometers	105
N-transport code: use in detection of explosives	937
Simulation of surface per cent depth dose	505
Simulations as a feasibility tool for non-metallic landmine detection by thermal neutron backscattering	837
Use to establish dose parameters for the BrachySeed model LS-1 ^{125}I source	805
<i>MTR</i> (<i>Module de Temps-mort Reconductible</i>)	
New set of electronic modules for a coincidence system using the pulse mixing method	269
<i>Mushrooms</i>	
From Poland, Spain and the Ukraine: Pu,U and Th content	717
<i>National Institute of Standards and Technology (NIST)</i>	
Radiochemistry intercomparison program: a summary of a 4 year performance evaluation study	379
<i>NPL secondary standard radionuclide calibrator</i>	
Calibration for ^{125}I seeds for brachytherapy	321
Syringe calibration factors for radionuclides used in nuclear medicine	343
<i>Neptunium</i>	
^{237}Np	
Decay in equilibrium with ^{233}Pa : emission probabilities of kX-rays	173
Standardisation and decay data	415
<i>Neutron</i>	
Epithermal: resonance self shielding factors in foils	945
Thermal, backscattering: use to detect non-metallic landmines	837
<i>Nickel</i>	
^{63}Ni	

Improved uncertainty by using an efficiency tracer technique for specific activity	253
Standardisation using the TDCR method: influence of LS cocktail	285
<i>NMR</i>	
Relaxation rate in a ceric sulphate dosimeter and relation to absorbed dose	895
<i>Nuclear model</i>	
Calculations on proton induced reactions on ^{103}Rh up to 40 MeV	821
<i>Nuclear reactions</i>	
Determination of cross sections in complex decay chains	607
<i>Nuclear test ban</i>	
Measurements: design of an ultra-low-level laboratory	375
<i>Obituary</i>	
Wilfred Basil Mann	1
<i>OMEGA/BEAM</i>	
Code: use for Monte Carlo simulation of surface per cent depth dose	505
<i>Oxygen</i>	
$^{19}\text{F}(\text{p}, \text{xy})^{16}\text{O}$ reaction: yields, branching ratios and angular distributions of photons produced	877
<i>Palladium</i>	
^{103}Pd production by the $^{103}\text{Rh}(\text{p}, \text{n})^{103}\text{Pd}$ reaction	821
<i>Particle</i>	
Associated, timing based on the $\text{D} + \text{D}$ reaction: use for imaging solid objects	711
Charged: cross section data for radioisotope production (Abs)	1001
Radioactive: optimal design for tracking experiment for flow mapping in multiphase reactors	485
Size analysis of ^{38}Cl , ^{39}Cl aerosols formed by irradiation of Ar	615
<i>Peak</i>	
Resolution of overlap of ^{241}Am and ^{243}Am : competence of α -spectrometry algorithms	57
<i>PET</i>	
Quantitation and imaging of the non-pure positron emitting iodine iodine isotope ^{124}I	673
Standardisation of ^{11}C sources	327
<i>Phosphorus</i>	
Determination in cortical bone from the human femoral neck by NAA	781
^{32}P	
Activity determination in angioplastic balloons by LSC	291
Cherenkov counting data: correlation with Cherenkov counting of ^{90}Y in the dry state	907
Stainless steel stent: measurement of activity	337
<i>Photon</i>	
Efficiency curve for the SIR ionisation chamber	15
Emission probabilities from decay of ^{226}Ra and daughters: measurement	137
6-7 MeV produced by the $^{19}\text{F}(\text{p}, \text{xy})^{16}\text{O}$ reaction: yields, branching ratios and angular distribution	877
Summations in Marinelli beakers: determination of corrections	111
<i>Plant</i>	
Rice, inoculated with <i>Pyricularia oryzae</i> : uptake of trace elements	473
<i>Plutonium</i>	
Content in mushrooms collected from Spain, Poland and the Ukraine	717
$^{239,240}\text{Pu}$: accumulation and dissolution in river bed sediment near Chernobyl	751
<i>Polonium</i>	
^{210}Po determination by α -spectrometry in marine environmental samples	633*

Porous medium

- Measurement and evaluation of saturations for water, ethanol and LNAPL by γ -attenuation 601

Potassium

- ^{40}K : half life determination by LSC 153

Proton

- Induced reactions on ^{103}Rh : evaluation of excitation functions of the $^{103}\text{Rh}(p, n)^{103}\text{Pd}$ reaction 821

Quartz

- Phototransferred thermoluminescence: application to high level γ dosimetry 891

Radiation

- Injury avoidance(Abs) 1001
 Ionizing: assessment of dose using an iodide/iodate solution 525
 Protection, moral and legal obligations: editorial 763
 Survey and dose equivalent assessment of ^{60}Co contaminated rebar buildings 901
 Therapy, endovascular (EVRT): evaluation of [^{166}Ho] DMDTPA 863

Radioactivity

- Concentrations in sediments and correlation to coastal structure in Kuwait 991
 In bottled water sold in Mexico 931
 Measurement: limitations and uncertainties of CIEMAT/NIST method 357
 Measurements on ^{58}Co , ^{88}Y and $^{166\text{m}}\text{Ho}$; results from APMP comparisons 421
 Standardisation in South Africa 301
 Standardisations: development of a dual-compensated cryogenic micro-calorimeter for measurements 223

Radiochemistry

- NIST intercomparison program: summary of 4 year performance evaluation study 379

Radiography

- In vitro, auto: to determine distribution of estrone sulphatase in rat brain 773

Radioisotope

- Medical: charged particle cross section data (Abs) 1001

Radiology

- Interventional: dose assessment (Abs) 1001

Radionuclide

- α/β emitter measurement system used in INER (Taiwan) 261
 α -emitting: content in mushrooms from Poland, Spain and the Ukraine 717
 Calibrator (CURIEMENTOR 2): metrological certification 957*
 Chernobyl derived in river bottom sediment: accumulation and dissolution 751
 Emitting low energy radiation: standardisation 245
 Environmental: intercomparison study of measurement capability of Brazilian laboratories 409
 NIST radiochemistry intercomparison program: summary of 4 year performance evaluation study 379
 Standardisation using TDCR model: effect of LS-cocktail composition 285
 With 'triangular scheme' of disintegration: multi method of standardisation 281

Radiopharmaceutical

- Activity measurements 787
 Preparation and evaluation of [^{166}Ho]holmium DMDTPA for endovascular radiation therapy 863
 ^{186}Re , ^{188}Re : measurement of radioactivity 349

Radiotherapy

- Electron beam: surface dose using the grid technique 477

Radium

- ^{226}Ra and daughters: measurement of photon emission probabilities from the decay 137
 ^{226}Ra : evaluation of potential chelating agents 667
 ^{226}Ra in water: comparison of methods of analysis 387

Radon

- In soil: monitoring in the Krško basin, Slovenia 649
 ^{222}Rn in presence of ^{220}Rn : sensitivity of LR115 detector 953
 Use as natural tracer in characterisation of water sources in aquifers in Morocco 985

Reactor

- Multiphase: optimal design of radioactive tracking experiment for flow mapping 485
 Nuclear power, of the Krško Basin, Slovenia: study of tectonic faults in region by radon monitoring 649

Rhenium

- Uptake by rice plants inoculated with *Pyricularia oryzae* 473
 $^{185}\text{Re}(n, 3n)^{183}\text{Re}$ reaction: cross section measurements 731
 ^{186}Re , ^{188}Re radiopharmaceuticals: measurement of activity 349

Rhodium

- ^{103}Rh : proton induced reaction and evaluation of the excitation function of the 821
 $^{103}\text{Rh}(p, n)^{103}\text{Pd}$ reaction

Rice

- Plant inoculated with *Pyricularia oryzae*: uptake of trace elements 473
 —Water-soil system: behaviour of ^{95}Zr 735

Rock

- Volcanic, from the Trindade and Martin Vaz Islands (Brazil): uranium concentration and activity ratios 741

Rubidium

- Uptake by rice plants inoculated with *Pyricularia oryzae* 473
 ^{85}Rb target: excitation functions for the reactions $^{85}\text{Rb}(p, xn)^{85\text{m.g.83,82,81}}\text{Sr}$ up to 100 MeV and cross section functions 685
 ^{88}Rb : determination of γ -ray emission probabilities 163

Rutherford backscattering system (RBS)

- With channelling: use for determination of damage depth profiling 627

Sample

- Environmental: capability of Brazilian laboratories of analyses of radionuclides 409
 Marine environmental: determination of ^{210}Po and ^{210}Pb by γ -spectrometry 633*
 Meteorite: deep underground measurement of ^{26}Al by γ -spectrometry 405
 Meteorite: intercomparison of AMS with γ -spectrometry for ^{26}Al measurements 399
 Solid: determination of Cs ratios by resonance ionisation mass spectrometry 369
 Solid: imaging by use associated particle timing based in the D + D reaction 711

Sediment

- Lake: determination of Cs ratios by resonance ionisation mass spectrometry 369
 Radioactivity concentration and correlation to coastal structure in Kuwait 991
 River bottom: accumulation and dissolution of Chernobyl derived radionuclides 751
 Uranium and thorium isotopes: statistical study of concentration in samples 393

Selenium

- Uptake by rice plants inoculated with *Pyricularia oryzae* 473

Self attenuation factor corrections

- Calculation from average path length of γ -rays in samples 77

Shielding

- Design for detector system in an ultra-low-level laboratory for nuclear test ban measurements 375

<i>Silica</i>	
Sorption and desorption of Co(II)	765
<i>Silicate</i>	
Rock: determination of U concentrations: activity ratios by α -spectrometry	741
<i>Skin</i>	
Sparing effect using grids in electron beam radiotherapy	477
<i>Software</i>	
Coincidence counting for absolute activity measurement	265
<i>Soil</i>	
Radon monitoring in the Krško Basin, Slovenia	649
–Rice–water system: behaviour of ^{95}Zr	735
U and Th isotopes: statistical study of concentration in samples	393
<i>Source</i>	
α particle: effect of energy losses on shape of peaks in spectra	51
α particle: study of inhomogeneities	31
^{60}Co production for high accuracy calibration of γ -ray spectrometers	215
For measurement of absolute intensities of ^{226}Ra γ -radiation when in equilibrium with decay products	37
Gamma reference: standardisation for radioactivity measurements of radiopharmaceuticals	787
Large area: preparation for calibration of β and α contamination monitors	21
LS-1 ^{125}I brachytherapy: Monte Carlo parameters	805
<i>Spectrometer</i>	
4π CsI(Tl) sandwich: use for standardisation of ^{89}Sr	447
γ -ray: production of ^{60}Co sources for high accuracy efficiency calibration	215
Ge calibration: use of ^{166}Ho as a standard	157
HPGe: Monte Carlo method for calculation of cascade summing corrections	105
Optical: use to study X-ray irradiation effects on soda-lime glass	621
<i>Spectrometry</i>	
α :- competence of analysis algorithms to resolve ^{241}Am and ^{243}Am peak overlap	57
α -particle: study of inhomogeneities in sources	31
α :- use in statistical study of U and Th isotopes in soil and sediment samples	393
α :- use to determine ^{210}Po and ^{210}Pb in environmental marine samples	633*
α :- use to determine U concentration and activity ratios in silicate rocks	741
EPR: use to distinguish between irradiated and non-irradiated cumin and dose assessment	557
EPR with alanine: uncertainties in therapeutic dose range	917
4π -LS: use for standardisation of ^{89}Sr	447
$4\pi\beta$ LS: use in standardisation of $^{188}\text{W}/^{188}\text{Re}$ with a CIEMAT/NIST ^3H standard efficiency tracing method	315
γ -ray	
Automated construction of detector models for efficiency interpolation	99
Characterisation of 3 digital signal systems	93
Coincidence summing correction	117
Determination of corrections of time summation of photons for measurement in Marinelli beakers	111
In deep underground laboratory: measurement of ^{26}Al in meteorite samples	405
Ultra low level: use to determine ^{26}Al in meteorite samples and comparison with AMS	399
Use to determine radioactivity concentrations in Kuwait coastal sediments	991
HPGe- γ : cascade summing corrections calculated by the Monte Carlo method	105
Mass: use to determine the β -branching ratio of ^{64}Cu	145
Resonance ionisation mass (RIMS): use for determination of Cs ratios in solid samples	369
Rutherford backscattering with channelling technique: use for damage depth profiling	627

xk _α regional analysis: influence of nuclear data on uranium enrichment results	85
<i>Stability constants</i>	
Of Eu ³⁺ and Am ³⁺ complexes with fulvic and humic acids by ion exchange	959
Of Tb ³⁺ , Yb ³⁺ and Gd ³⁺ complexes with fulvic and humic acids	967
<i>Standards</i>	
Multi gamma for calibration of Ge-spectrometers: use of ¹⁶⁶ Ho	157
Of ²²⁶ Ra: review from Marie Curie ICRM	5
Simulated gas, multi gamma: development	47
<i>Stent</i>	
³² P stainless steel: activity measurement by destructive assay	337
<i>Strontium</i>	
Phosphomolybdate and Sr ²⁺ ions: kinetics of isotopic exchange in aqueous solution	797
⁸³ Sr: comparison of production routes and yields and thick target yield of ⁸² Sr	685
⁸⁹ Sr standardisation	
At the National Office of Measures	467
At VNIIM	453
By LS counting using a TDCR technique	461
Of a solution from a BIPM intercomparison	457
Using 3 different methods	447
⁹⁰ Sr: accumulation and dissolution in river bed sediment near Chernobyl	751
<i>Sulphur</i>	
Desulphurisation of Indian coal by γ-ray induced chlorinolysis	975
³⁵ S: improved uncertainty using an efficiency tracer technique for specific activity determination	253
<i>Surface</i>	
Percent depth dose: Monte Carlo simulation	505
<i>Syringe</i>	
Calibration factors for radionuclides used in nuclear medicine	343
<i>Target</i>	
Enriched ⁸⁵ Rb to produce ⁸³ Sr and ⁸² Sr: integral tests for yield	685
⁷ Li irradiated Sc ₂ O ₃ : separation of ⁴⁸ V and ^{48,49} Cr by liquid-liquid extraction	571
<i>Technetium</i>	
Uptake by rice plants inoculated with <i>Pyricularia oryzae</i>	473
^{99m} Tc	
Intercomparison of activity measurements in Brazilian hospitals	361
Nitrido complex: synthesis and bio distribution	857
Tetrofosmin: uptake in lymphoma cells and comparison with ^{99m} sestamibi	853
<i>Teeth</i>	
Enamel study by EPR: ¹³ C hyperfine interactions of CO ₂ ⁻	815
<i>Terbium</i>	
Tb ³⁺ complexes with fulvic and humic acids: stability constants	967
<i>Thallium</i>	
²⁰⁴ Tl	
Activity using a multichannel time scaling technique for 3PM LS counting	307
Standardisation at VNIIM	453
Standardisation: self-absorption correction	199
<i>Thermoluminescence</i>	
Phototransferred in quartz: application to high level γ-dosimetry	891
<i>Thorium</i>	
Statistical analyses of concentrations in soil and sediment samples	393

^{232}Th : feeding of levels from decay of ^{236}U	567*
^{234}Th : preparation and purification	681
<i>Toluene</i>	
Measurement of saturation 'as a LNAPL' in a porous medium by γ -attenuation	601
<i>Trace element</i>	
Uptake by rice plants inoculated with <i>Pyricularia oryzae</i>	473
'Triangular scheme' of disintegration	
Standardisation	281
<i>TDCR (triple to double coincidence ratio)</i>	
Use in LS counting in the standardisation of ^{89}Sr	461
<i>Tritium</i>	
^3H standardisation by TDCR method: influence of LS cocktail	285
<i>Tumour</i>	
Lymphoma: uptake of $^{99\text{m}}\text{Tc}$ tetrofosmin and comparison with $^{99\text{m}}\text{Tc}$ sestamibi	853
<i>Tungsten</i>	
^{185}W : improved uncertainty using an efficiency tracer technique for specific activity determination	257
$^{188}\text{W}/^{188}\text{Re}$ standardisation by $4\pi\beta$ LS spectrometry with the CIEMAT/NIST standard efficiency tracing method	315
<i>Uranium</i>	
Concentration and activity ratios in silicates by α -spectrometry	741
Depleted: recovery and purification of ^{234}Th	681
Influence of nuclear data on enrichment results obtained by xk_α spectral region analysis	85
Statistical analyses of concentration in soil and sediments	393
^{236}U decay: feeding of ^{232}Th levels	567*
<i>Vanadium</i>	
^{48}V : separation from a ^7Li -ion irradiated Sc_2O_3 target	571
<i>Water</i>	
Bottled (Mexican): radioactivity	931
Ground: dating with radiocarbon in an aquifer in S Morocco	637
Irradiated ^{18}O water: separation of ^{18}F -fluoride	519
Measurement of saturation in a porous medium by γ -attenuation	601
Oum-Er-Rbia (Morocco) karstic sources: characterisation using a nuclear detector and Rn as a natural tracer	985
^{226}Ra analysis: comparison of methods	387
—Rice-soil system: behaviour of ^{95}Zr	735
<i>X-ray</i>	
Irradiation effects on soda-lime container glass	621
K: emission probabilities following decay of ^{237}Np in equilibrium with ^{233}Pa	173
<i>Yerbium</i>	
^{169}Yb : evaluation of decay data	181
Yb^{3+} complexes with humic and fulvic acids: stability constants	967
<i>Yttrium</i>	
^{88}Y	
Absolute counting and APMP comparison	429
APMP comparison results on radioactivity measurements	421

Standardisation by digital coincidence counting	275
^{90}Y Cherenkov counting: correlation with ^{32}P Cherenkov counting data	907
<i>Zirconium</i>	
^{93}Zr : separation and radiochemical analysis	41
^{95}Zr : dynamics in a rice/water/soil system	735

